

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/18/2014

Revision date: 04/09/2021

Supersedes: 07/31/2019

Version: 1.3

### SECTION 1: Identification

#### 1.1. Identification

Product form : Substance  
Trade name : MagChem® 10 6 x 16,  
MagChem® 10 12 x 40,  
MagChem® 10 Prilled 30,  
MagChem® 10 3/8 x 30,  
MagChem® 10 WTS-60,  
MagChem® AOD 6 x 16  
Chemical name : Magnesium oxide  
CAS-No. : 1309-48-4  
Formula : MgO  
Synonyms : calcined brucite magnesite, calcined magnesite, calcined magnesite, magnesite burnt  
deadburned / refractory, periclase, sea-water magnesite, oxomagnesite

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Screened MagChem 10 products have low reactivity and coarse particle size. They are used primarily in refractory and ceramic applications, animal feed, fertilizer and as a raw material feed for fused magnesium oxide.

#### 1.3. Supplier

Martin Marietta Magnesia Specialties  
1800 Eastlake Road  
Manistee, Michigan 49660 - USA  
T +001 410 780 5500

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC, U.S.: 1-800-424-9300 INTERNATIONAL: +1-703-527-3887 Available 24/7

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

No labeling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : No additional hazards have been identified.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Substance type : Mono-constituent  
Name : Screened MagChem 10 Magnesium Oxide  
CAS-No. : 1309-48-4

| Name   | Product identifier  | %  | GHS US classification |
|--|---------------------|----|-----------------------|
| Magnesium oxide                                | (CAS-No.) 1309-48-4 | 98 | Not classified        |
| Oxides of silicon, iron, aluminum, and calcium | (CAS-No.) mixture   | 2  | Not classified        |

#### 3.2. Mixtures

Not applicable

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Not expected to be an irritant. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Do not breathe dust.
- Symptoms/effects after inhalation : Inhalation may cause: irritation, cough, shortness of breath.
- Symptoms/effects after skin contact : None under normal conditions.
- Symptoms/effects after eye contact : May cause eye irritation.
- Symptoms/effects after ingestion : Ingestion generally causes purging of the bowels. Swallowing large amounts may cause bowel obstruction.

#### 4.3. Immediate medical attention and special treatment, if necessary

No special procedures required.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Not combustible. If there is a fire close by, use suitable extinguishing agents. Water fog. Carbon dioxide. Dry powder. Foam.
- Unsuitable extinguishing media : None known.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : If heated to decomposition (>1700 °C), magnesium oxide fumes may be generated.
- Explosion hazard : Product is not explosive.
- Reactivity : Reacts with : Incompatible materials.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : No additional risk management measures required.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid creating or spreading dust. Dust deposited may be vacuum cleaned.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Where excessive dust may result, use approved respiratory protection equipment.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Where excessive dust may result, use approved respiratory protection equipment.
- Emergency procedures : Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain and collect as any solid.
- Methods for cleaning up : Sweep up spilled material without making dust.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Provide good ventilation in process area to prevent formation of dust.  
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container closed when not in use.  
Incompatible materials : ACID (Strong) - vigorous reaction, heat generated; Chlorine Trifluoride reacts violently, producing flame; Phosphorous Pentachloride - incandescens brilliantly. NOTE: Exposure to water may cause this product to slowly hydrate, during which heat may be generated (exothermic reaction).  
Prohibitions on mixed storage : Keep away from incompatible materials.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| MagChem® 10 6 x 16, MagChem® 10 12 x 40, MagChem® 10 Prilled 30, MagChem® 10 3/8 x 30, MagChem® 10 WTS -60, MagChem® AOD 6 x 16 (1309-48-4) |                        |                      |
|---|------------------------|----------------------|
| ACGIH   | Local name             | Magnesium oxide      |
| ACGIH   | ACGIH TWA (mg/m³)      | 10 mg/m³             |
| Magnesium oxide (1309-48-4)   |                        |                      |
| ACGIH   | Local name             | Magnesium oxide      |
| ACGIH   | ACGIH TWA (mg/m³)      | 10 mg/m³             |
| ACGIH   | Remark (ACGIH)         | (inhalable fraction) |
| ACGIH   | Regulatory reference   | ACGIH 2019           |
| OSHA  | OSHA PEL (TWA) (mg/m³) | 15 mg/m³             |
| Oxides of silicon, iron, aluminum, and calcium (mixture)  |                        |                      |
| Not applicable  |                        |                      |

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Provide local exhaust or general room ventilation to minimize exposure to dust. Use engineering controls to eliminate or reduce exposures below exposure limits.

#### 8.3. Individual protection measures/Personal protective equipment

##### Eye protection:

Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product. Where excessive dust may result, wear goggles.

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Use an N95 respirator.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Solid  
Appearance : Powder.  
Color : white  
Odor : odorless  
Odor threshold : No data available  
pH : No data available  
pH solution : 10.3 saturated aqueous solution  
Melting point : 2827 (2797 - 2857) °C  
Freezing point : No data available  
Boiling point : 3600 °C  
Flash point : Product does not sustain combustion  
Relative evaporation rate (butyl acetate=1) : No data available

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                 |   |
|---------------------------------|---|
| Flammability (solid, gas)       | : Non flammable.                                      |
| Vapor pressure                  | : No data available                                   |
| Vapor pressure at 50 °C         | : 0 hPa   |
| Relative vapor density at 20 °C | : 0   |
| Relative density                | : No data available                                   |
| Specific gravity / density      | : 3.58 g/cm <sup>3</sup> (Theoretical density of MgO) |
| Molecular mass                  | : 40.3 g/mol  |
| Solubility                      | : In water, material is partially soluble.            |
| Log Pow                         | : No data available                                   |
| Auto-ignition temperature       | : No data available                                   |
| Decomposition temperature       | : > 1700 °C   |
| Viscosity, kinematic            | : No data available                                   |
| Viscosity, dynamic              | : No data available                                   |
| Explosion limits                | : No data available                                   |
| Explosive properties            | : Product is not explosive.                           |
| Oxidizing properties            | : No data available                                   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with : Incompatible materials.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Keep/Store away from incompatible materials.

### 10.5. Incompatible materials

ACID (Strong) - vigorous reaction, heat generated; Chlorine Trifluoride reacts violently, producing flame; Phosphorous Pentachloride - incandescens brilliantly. NOTE: Exposure to water may cause this product to slowly hydrate, during which heat may be generated (exothermic reaction).

### 10.6. Hazardous decomposition products

If magnesium oxide is heated to the point of volatilization (i.e. >1700 C), magnesium oxide fumes may be generated.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |   |
|-----------------------------|---|
| Acute toxicity (oral)       | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal)     | : Not classified  |
| Acute toxicity (inhalation) | : Not classified  |

#### MagChem® 10 6 x 16, MagChem® 10 12 x 40, MagChem® 10 Prilled 30, MagChem® 10 3/8 x 30, MagChem® 10 WTS -60, MagChem® AOD 6 x 16 (1309-48-4)

|               |                        |
|---------------|------------------------|
| LD50 oral rat | 3990 mg/kg             |
| ATE US (oral) | 3990 mg/kg body weight |

#### Magnesium oxide (1309-48-4)

|               |                        |
|---------------|------------------------|
| LD50 oral rat | 3870 - 3990 mg/kg      |
| ATE US (oral) | 3870 mg/kg body weight |

|                                   |   |
|-----------------------------------|---|
| Skin corrosion/irritation         | : Not classified (Based on available data, the classification criteria are not met) |
| Serious eye damage/irritation     | : Not classified (Based on available data, the classification criteria are not met) |
| Respiratory or skin sensitization | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity            | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity                   | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity             | : Not classified (Based on available data, the classification criteria are not met) |

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |   |
|--|---|
| Specific target organ toxicity – single exposure   | : Not classified (Based on available data, the classification criteria are not met)                             |
| Specific target organ toxicity – repeated exposure | : Not classified (Based on available data, the classification criteria are not met)                             |
| Aspiration hazard                                  | : Not classified (Based on available data, the classification criteria are not met)                             |
| Viscosity, kinematic                               | : No data available   |
| Likely routes of exposure                          | : dermal. Inhalation.   |
| Symptoms/effects                                   | : Not expected to present a significant hazard under anticipated conditions of normal use. Do not breathe dust. |
| Symptoms/effects after inhalation                  | : Inhalation may cause: irritation, cough, shortness of breath.   |
| Symptoms/effects after skin contact                | : None under normal conditions.   |
| Symptoms/effects after eye contact                 | : May cause eye irritation.   |
| Symptoms/effects after ingestion                   | : Ingestion generally causes purging of the bowels. Swallowing large amounts may cause bowel obstruction.       |

### SECTION 12: Ecological information

#### 12.1. Toxicity

| Magnesium oxide (1309-48-4) |           |
|-----------------------------|-----------|
| LC50 fish 1                 | 1355 mg/l |
| EC50 crustacea              | 190 mg/l  |

#### 12.2. Persistence and degradability

| Magnesium oxide (1309-48-4)   |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

#### 12.3. Bioaccumulative potential

| Magnesium oxide (1309-48-4) |                  |
|-----------------------------|------------------|
| Bioaccumulative potential   | Not established. |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Magnesium oxide (1309-48-4)   |   |    |
|---|---|----|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |   |    |
| SARA Section 311/312 Hazard Classes                                       | Immediate (acute) health hazard   | No |
|   | Delayed (chronic) health hazard   | No |
|   | Fire hazard   | No |
|   | Sudden release of pressure hazard   | No |
|   | Reactive hazard   | No |
| SARA Section 313 - Emission Reporting                                     | Magnesium oxide is not hazardous and is not subject to Form R reporting requirements. |    |

### 15.2. International regulations

| Magnesium oxide (1309-48-4)                                    |  |  |
|--|--|--|
| Jurisdiction   | List   | Comment  |
| Asia Pacific   | Asia - PAC   |  |
| Australia  | Australian Inventory of Chemical Substances (AICS)               |  |
|  | National Pollutant Inventory                                     | magnesium oxide fume                                 |
|  | Priority Existing Chemicals                                      |  |
| China  | Inventory of Existing Chemical Substances (IECSC)                |  |
| Japan  | Existing and New Chemical Substances (ENCS)                      | # 1-465; inorganic compounds                         |
| Korea  | KECI (Chemical Inventory of Korea)                               | KE-22728   |
| New Zealand  | Inventory of Chemicals (NZIoC)                                   | HSNO approval  |
| Phillippines   | Inventory of Chemicals and Chemical Substances (PICCS)           |  |
| Europe   | EEC International Cosmetics Ingredients Inventory (INCI)         | absorbant/ buffering/ opacifying / additives         |
|  | EU REACH pre-registered  |  |
|  | EU Inventory of Existing Commercial Chemical Substances (EINECS) | 215-171-9  |
|  | German Water Hazard Class Substance List                         | 5208<br>Classification: VwVwS                        |
|  | Switzerland Giftliste 1 (List of Toxic Substances)               | G-2368   |
| Canada   | Canadian Domesticated Substances List (DSL)                      |  |
|  | WHMIS Ingredient List  |  |
| United States  | ACGIH Thrshold Limit Values (TLV)                                |  |
|  | EPA Pesticide Inert Ingredients                                  |  |
|  | FDA Priority-based Assessment of Food Additives (PAFA)           |  |
|  | FDA Regulations  | Use as colorant.                                     |
|  | High Production Volume Chemicals (HPV)                           |  |
|  | National Toxicology Program Technical Reports List               |  |
|  | NIOSH Hazard, Toxicology, and Use Information                    |  |
|  | NIOSH Health Hazards   |  |
|  | NIOSH Recommended Exposure Limits                                | 10 mg/m <sup>3</sup>                                 |
|  | OSHA Permissible Exposure Limits                                 | 8 hour TWA: total particulates 15 mg/ m <sup>3</sup> |
|  | Toxic Substances Control Act (TSCA) Inventory                    |  |
|  | Toxic Inventory Update Rule                                      |  |
| TSCA Section 8A-Preliminary Assessment Information Rule (PAIR) |  |  |
| Other  | Health Hazards   | RTECS: OM3850000                                     |
|  | High Production Volume Chemicals: ICCA                           |  |
|  | High Production Volume Chemicals: OECD                           |  |

### 15.3. US State regulations

 **WARNIN:** : This product can expose you to Lead and Nickel compounds, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Component                  | State or local regulations   |
|----------------------------|--|
| Magnesium oxide(1309-48-4) | U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 04/09/2021

Data sources : ACGIH 2019.

Chemical Inspection & Regulation Service; accessed at: [http://www.cirs-reach.com/Inventory/Global\\_Chemical\\_Inventories.html](http://www.cirs-reach.com/Inventory/Global_Chemical_Inventories.html).

Ind. Exposure & Control Techn. for OSHA Regulated Substances - MgO (fume), March, 1989, pp. 1181-1184.

Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

NIOSH Occupational Health Guide for chemical Substances - Vol. II, September, 1978.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

RTECS, June 1998.

Sax - 8th Ed. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

US National Library of Medicine National Institutes of Health Haz-Map. Accessed at <http://hazmap.nlm.nih.gov>

Other information : None.

Abbreviations and acronyms: ACGIH (American Conference of Government Industrial Hygienists)

ATE: Acute Toxicity Estimate

CAS (Chemical Abstracts Service) number

EC50: Environmental Concentration associated with a response by 50% of the test population.

GHS: Globally Harmonized System (of Classification and Labeling of Chemicals)

LD50: Lethal Dose for 50% of the test population

OSHA: Occupational Safety & Health Administration


TSCA: Toxic Substances Control Act

TWA: Time Weighted Average

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Indication of changes:

| Section | Changed item                         | Change | Comments |
|---------|--------------------------------------|--------|----------|
| 15      | California Proposition 65 Disclosure | Added  |          |

SDS Prepared by: The Redstone Group  
6077 Frantz Rd.  
Suite 206  
Dublin, Ohio, USA 43017  
614.923.7472

# Screened MagChem® 10 Magnesium Oxide

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*